


Christie LWU501i

CHRISTIE LWU501i



A brief introduction to the Christie LWU501i. The LCD projector has a WUXGA 1920 x 1200 resolution and a contrast of 3000:1, including an integrated media player for direct file playback. The integrated lens shift gives you freedom when positioning the projector. The projector can illuminate a picture width of 718 cm well. The projector can create rooms with residual light with a smaller image width, we would recommend a maximum of 479 cm here. Furthermore, it is Full HD 1080P compatible and can even project Blu-rays onto the ceiling thanks to 360° projection. The model built in 2012 is no longer offered by Christie.



3 x 0,75" LCD TFT Panel
WUXGA 16/9 Liquid Crystal Display

Brief Introduction Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Projector

5000

3000:1 full on/off

1,6667 min. Lumen

Vert.: +/-60% Hori.: +/-10%

WUXGA 1920 x 1200

2.304.000 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Media player formats: • JPEG (.jpeg, .JPEG) • Bitmap (.bmp) • PNG (.png) • GIF (.gif) • Movie (.avi, .mov)

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

330W UHP Lamp

Article Nr.: 003-120708-01

2500 h. 3000 h. in Eco Mode

4,57% / 0,15 €

Powered

Powered

optional

optional

10W Mono


HDMI in
DVI-D in
D-sub 15 pin in
5 x BNC RGBHV in
YUV in
S-Video in
Cinch Video in

Screen

2222 Lux (200 cm Screen width)

3000:1 full on/off

0,741 min. Lumen



Cinch Stereo in und out

RJ45 in

USB Typ B

RS232C Din 9 pin in

Yes, is possible.

480W

552 x 229 x 683 mm (21,7"x9"x26,9") 86,34 L/dm³

37 / 31 dB in Eco Mode

Ceiling Mounting

Power

Size WxHxD

Operating Noise

8,90 kg / 17,64 lbs.

Vert.: +/-20°

Hori.: +/-12°

-

H-sync: 15-106 kHz

V-sync: 56-120 Hz

Range max.: 162 MHz

206 fL / max. 718 cm screen width

706 cd/m²

Full HD 1080P compatible

Direkt Power Off

Lens shift Funktion

Integrated Mediaplayer

Freeze

User logo

Eco Mode

Kensington Slot

Dynamic iris

Warping

360° installable

Picture-in-Picture

Password protection

PJLink™

Control via web browser

Lan network compatible.

Crestron®-Software compatible.

Picture-by-picture

Digital zoom

Email error message

Weight

Keystone


Illumination

Frequenz

Foot-Lamberts

Features

Screen Mirroring



Optional accessories			
	Nackte Philips Lampe	NLMP21593	121,58 €
	Lampe Ruby	Ruby-LMP21593	170,24 €
	Lampe Original	003-120708-01	381,73 €
	Luftfilter Kompatibel	Alternative zu:UX38241 / UX38242 / UX43581 / MU06642	26,48 €
	Fernbedienung Original	HL02801 / R100	74,48 €
	Luftfilter Original	UX38241	60,17 €
	Deckenhalterung 100-120	Halterung100	47,86 €

Optional Lenses i					
Name	Ratio	Distance	Shift V	Shift H	Zoom
121-115108-XX	4.9-8.3:1	980-1660 m	+/-60%	+/-10%	Powered
121-114107-XX	2.8-4.9:1	560-980 m	+/-60%	+/-10%	Powered
121-113106-XX	1.5-3:1	300-600 m	+/-60%	+/-10%	Powered
121-112105-XX	1.2-1.8:1	240-360 m	+/-60%	+/-10%	Powered
121-111104-XX	0.8:1	160 m	0.0% Fix	+/-10%	No Zoom

Status

2012 Discontinued (EOL) // Last update of the data: 2026-05-05

Data



More Details



HCinema

<https://www.projector-database.com/pro/christielwu501i-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.