

Digital Projection iVision 50 Scope 1080p XB (Preliminary)



Brief presentation of the Digital Projection iVision 50 Scope 1080p XB (Preliminary). The DLP projector has a WQXGA 2560 x 1080 resolution and a contrast of 5300:1. 2000 Ansi lumens ensure that an image width of 389 cm is also possible. However, if room light is available, the image should be a maximum of 259 cm wide. The projector can also play 1080P and 3D without any problems. The projector was launched in 2015 and is no longer sold by the manufacturer.

Brief Introduction
Beta 2.5

Display Type

 1 x 0,95" DLP Chip
WQXGA 4/3 Ti Digital Light Processing Chip

Ansi-Lumen

Projector 2000 Screen 667 Lux (bei 200 cm Screen)

Contrast

5300:1 full on/off 5300:1 full on/off

Black Level

Offset 0,3774 min. Lumen 0,126 min. Lumen

Resolution

WQXGA 2560 x 1080
2.764.800 Pixel

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 3D, EDTV 480p, 576p

3D Compatibility

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom
Frame Sequential (3D Ready)

Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Light Source

Medium screen width or rooms with little light, max. 100 lumens.

Light Life

350W Lamp
2000 h. 2500 h. in Eco Mode

Operating Costs

-

Focus

Powered

Zoom

Powered

Objective

optional

Throw Ratio

optional

Audio

Nein

Connections

HDMI 1.4 in
DVI-I in
D-sub 15pin in
USB Typ A in
RS232C Din 9 pin in
RJ45 mit HDBaseT in
3GSDI

Ceiling Mounting

Yes, is possible.

Power

530W

Size WxHxD


342 x 143 x 306 mm (13,5"x5,6"x12") 14,97 L/dm³

Operating Noise

-

Weight

7,50 kg / 16,53 lbs.



Keystone	-
Illumination	87%
Frequenz	Range max.: 205 MHz
Foot-Lamberts	62 fL / max. 389 cm screen width 212 cd/m²
Features	Real Full HD 3D Full HD 1080P compatible Eco Mode Lan network compatible. XB Colour Wheel
Screen Mirroring	-

Optional accessories

	Deckenhalterung Länge 100-120 mm	Halterung120	47,86 €
--	----------------------------------	--------------	---------

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
115-784	2.67-4.16:1	5.3-8.3 m			Powered
115-489	1.14-1.74:1	2.3-3.5 m			Powered
115-488	0.86-1.16:1	1.7-2.3 m			Powered
115-485	1.71-2.37:1	3.4-4.7 m			Powered
Fix Optional Lenses					
115-487	0.79:1	1.6 m			No Zoom
115-486	0.99:1	2 m			No Zoom

Status 2015 Discontinued (EOL) // Last update of the data: 2025-03-03
 Data Created: 2015-01-19 15:46:28

More Details





<https://www.projector-database.com/pro/digitalprojectionivision50Scope1080pxb-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.

