

Epson EB-760W

EPSON EB-760W



The short-throw EB-760W 3D laser LCD has 4100 Ansi lumens, a contrast of 25000000:1 and a WUXGA 1920 x 1200 resolution. The manufacturer specifies a laser service life of 20000 hours, which is over 13.7 years with a daily viewing time of 4 hours. The projector is equipped with an integrated media player, so direct playback of files will not be a problem. The horizontal and vertical keystone correction provides leeway when setting up. With a projection ratio of just 0.27:1, this projector never gets in the way. For a 2m wide image, the projector needs to be just 54 cm away from the screen. In the event that the image is still too small, the projector offers integrated edge blending software, which allows several projectors to project a large image together. The model recognizes Miracast screen mirroring signals, so it is possible to play videos with high resolution and surround sound directly via WLAN from a smartphone, tablet or PC (Android, Windows and iOS). Furthermore, the projector can play 1080P and 4K (compressed) as well as 3D without any problems, and therefore all currently available Blu-ray formats can be recognized by the projector.



3 x 0,59" LCD TFT Panel
WUXGA 16/9 Liquid Crystal Display

Display Type

Ansi-Lumen

4100

1822 Lux (bei 200 cm Screen)

Contrast

25000000:1 full on/off

25000000:1 full on/off

Black Level

0,0002 min. Lumen

0 min. Lumen

Offset

Resolution

WUXGA 1920 x 1200

2.304.000 Pixel

UHD (4K+2K) 4096 x 2160 compressed

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), 3D, EDTV 480p, 576p

Disc Recognition

Media player formats: .jpg, .bmp, .gif, .png, .avi, .mp4, .mov

DVD | HD Blu-ray | 3D Blu-ray | 4K UHD Blu-ray

3D Compatibility

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready)

Application

Short Distance | Wide screen width or rooms with plenty of light (over 200 lumens).

Light Source

Laser

Light Life

20000 h. / 30000 h. ECO

Operating Costs

0,00 € Laser

Focus

Manual

Zoom

Manual x1,35



Brief Introduction

Beta 2.5

Objective	F=1,6 f=3,7mm	Room light max.: 364 Lux Candela pro m²: 579 cd/m² Foot-Lamberts: 169 fL
Throw Ratio	0,27-0,37:1	
Audio	16W Moaural	16/9 screen width:200 cm Screen:1 Gain

Connections



Ceiling Mounting	Yes
Power	277W Normal / 214W Eco
Size WxHxD	429 x 195 x 475 mm (16,9"x7,7"x18,7") 39,74 L/dm³
Operating Noise	37 / 27 dB in Eco Mode


Weight	5,98 kg / 11,02 lbs.
Keystone	Vert.: +/-3°
Illumination	Hori.: +/-3°
	-

Frequenz	V-sync: 100-120 Hz
----------	--------------------

Foot-Lamberts	169 fL / max. 651 cm screen width 579 cd/m²
---------------	--

- Real Full HD 3D
- Full HD 1080P compatible
- Direkt Power Off
- Integrated Mediaplayer
- Eco Mode
- Kensington Slot
- Warping
- 360° installable
- Edge Blending
- Picture-in-Picture
- Password protection
- PJLink™
- Control via web browser
- Wi-Fi network compatible.
- Lan network compatible.
- Short-throw projector
- Crestron®-Software compatible.
- Dicom
- Android
- AMX

Features



Optional

Air filter original
Remote control original

ELPAF60 / V13H134A60
2198635

Status

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=fi9003147>
2023 Current model // Last update of the data: 2024-10-02
Created: 2023-07-26 12:50:33



More Details



HCinema

<https://www.projector-database.com/pro/epsoneb760w-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.