


Mitsubishi HD4000U

MITSUBISHI HD4000U



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen
Contrast
Black Level
Offset

Resolution

Video Modes
Disc Recognition
Application

Light Source
Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

The Mitsubishi model HD4000U is a DLP projector with WXGA 1280 x 768 resolution and a contrast of 2500:1. The horizontal and vertical keystone correction allows the projector to be positioned very freely. Thanks to the brightness of 2000 Ansi lumens, a picture width of 454 cm is possible. In room light, the image should be max. 303 cm wide. It is also Full HD 1080P compatible. The projector was launched in 2006 and is no longer sold by the manufacturer.



1 x 0,65" 12 Grad LVDS DC2 DLP Chip

WXGA 15/9 Ti Digital Light Processing Chip

Projector

2000
2500:1 full on/off
0,8000 min. Lumen

Screen

833 Lux (200 cm Screen width)
2500:1 full on/off
0,334 min. Lumen

WXGA 1280 x 768

983.040 Pixel

SXGA 1280 x 1024 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

DVD | HD Blu-ray (komprimiert) | 3D Blu-ray | 4K-UHD Blu-ray

Homecinema | Medium screen width or rooms with little light, max. 100 lumens.

250 / 200W im Eco Mode Lamp

Article Nr.: VLT-HC900LP

2000 h. 4000 h. in Eco Mode

-

Manual


Manual 1,2

F=2,4-2,6 f=23-27,6 mm

1,63-1,97:1

Nein

HDMI in
D-sub 15 pin in
YUV in
S-Video in
Cinch Video in
USB in
12V Trigger
RS232C Din 8pin





Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
340W
310 x 100 x 245 mm (12,2"x3,9"x9,6") 7,6 L/dm³
37 / 31 dB in Eco Mode

Weight
Keystone
Illumination

2,90 kg / 6,39 lbs.
Vertical und horizontal
-

Frequenz
Foot-Lamberts

H-sync: 15-80 kHz
V-sync: 50-85 Hz
Range max.: 110 MHz
77 fL / max. 454 cm screen width
264 cd/m²

- Features
- Full HD 1080P compatible
 - Blank (Black screen button)
 - Eco Mode
 - Kensington Slot
 - Gamma correction
 - Password protection
 - BrilliantColor™
 - Remote control with backlight
 - Overscan adjustable
 - Bei einem 4:3 XGA und 15:9 WXGA Bild liegt der Offset bei 73.
 - Die Kalkulatoren arbeiten mit einem 16:9 Bild.

Screen Mirroring
In Test

Optional only Chromecast / Fire TV / Apple TV / Mi Box Ads
-

Please note

With a 4:3 XGA and 15:9 WXGA image, the offset is 73. The calculators work with a 16:9 image.



Optional accessories

	Nackte Lampe	NLMP19367	61,46 €
	Lampe Ruby	Ruby-LMP19367	81,29 €
	Lampe Original	VLT-HC3800LP / 499B056O20	EOL €
	Kompatible Lampe	LMP-K19367	68,50 €
	Universal Fernbedienung	Fernb-uni-V3	22,31 €
	Deckenhalterung 100-120	Halterung100	47,86 €

Status

2006 Discontinued (EOL) // Last update of the data: 2026-06-09

Data





HCinema

<https://www.projector-database.com/pro/mitsubishihd4000u-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.