

Optoma CinemaX D2 B/W

OPTOMA CINEMA X D2 B/W



The CinemaX D2 B/W 3D Laser DLP has 3000 Ansi-Lumen, a contrast of 1800000:1 and a UHD (4K2K) 3840 x 2160 resolution. Due to the laser, the projector is specified with 30000 hours of light life, which converts to over 20.5 years at 4 hours per day. As the projector has horizontal and vertical keystone correction, the projector can be set up with plenty of free space in the room. As it is a short-throw projector, the projector can be positioned very close to the wall. For a 2 m wide picture, the projector only needs to be 50 cm away from the screen. Furthermore, the projector can play 1080P and 4K as well as 3D without any problems, meaning that all currently available Blu-ray formats can be recognized by the projector. The projector is very quiet compared to others with 28 decibels of operating noise. This model is no longer offered by Optoma, but is still very popular in our projector database.

Brief Introduction Beta 2.5

Display Type

1 x DLP Chip
HDTV 16/9 Ti Digital Light Processing Chip

Ansi-Lumen

3000

1333 Lux (200 cm Screen width)

Contrast

1800000:1 full on/off

1800000:1 full on/off

Black Level Offset

0,0017 min. Lumen

0,001 min. Lumen

Resolution

UHD (4K2K) 3840 x 2160
8.294.400 Pixel / FHD E-Shift

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD, 3D, EDTV 480p, 576p

Disc Recognition

DVD | HD Blu-ray | 3D Blu-ray | 4K UHD Blu-ray

3D Compatibility

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom
Frame Sequential (3D Ready)

Application

Short Distance | Medium screen width or rooms with a little more ambient light, max. 200 lumens.

Light Source

Laser

Light Life

30000 h.

Operating Costs

0,00 € Laser

Focus

Manual

Zoom

No Zoom

Objective


-

Throw Ratio

0,25:1

Audio

2 x 10W



3 x HDMI in
Mini Jack Audio in und out
USB Typ A in
1 x S/PDIF

Connections



Ceiling Mounting Power Size WxHxD Operating Noise

Yes, is possible.
230 / 190W Eco Mode
576 x 130 x 383 mm (22,7"x5,1"x15,1") 28,68 L/dm³
28 / 26 dB in Eco Mode

Weight Keystone Illumination

8,40 kg / 17,64 lbs.
Vert.: +/-10°
Hori.: +/-10°
90%

Frequenz

H-sync: 31-135 kHz
V-sync: 24-120 Hz

Foot-Lamberts


124 fL / max. 556 cm screen width
425 cd/m²

Features

- Real Full HD 3D
- Full HD 1080P compatible
- Eco Mode
- Kensington Slot
- Password protection
- Short-throw projector

Screen Mirroring

-



Optional accessories

	Fernbedienung Original	45.78V01G011	43,66 €
	Deckenhalterung 100-120	Halterung100	47,86 €

Status

2022 Discontinued (EOL) // Last update of the data: 2025-12-22

Data





HCinema

<https://www.projector-database.com/pro/optomacinemaxd2-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.