

Optoma ZK810T

OPTOMA ZK810T



The ZK810T 3D laser DLP has 7200 Ansi lumens, a contrast of 1100:1 and a UHD (4K2K) 3840 x 2160 resolution. The lifespan is 30000 hours due to the laser, which is over 20.5 years if enjoyed for four hours a day. The built-in lens shift and keystone correction function provides freedom when adjusting the projection. Thanks to the short throw projection ratio of just 1.26:1, the projector does not stutter in the room. For a 2m wide image, the projector only needs to be 252 cm away from the screen. Video signals 1080P and 4K as well as 3D are also no problem for the projector, meaning that all currently available Blu-ray formats can be recognized by the projector.



1 x UHD DLP Chip
UHD 16/9 Ti Digital Light Processing Chip

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Disc Recognition

3D Compatibility

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

7200

1100:1 full on/off

6,5455 min. Lumen

Vert.: +/-55% Hori.: +/-25%

UHD (4K2K) 3840 x 2160

8.294.400 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD, 3D, EDTV 480p, 576p

DVD | HD Blu-ray | 3D Blu-ray | 4K UHD Blu-ray (60p)

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready)

Short Distance | Very large screen width and rooms with plenty of light and shaded daylight.

DuraCore MultiColor Laser

30000 h.

0,00 € Laser

Powered

Powered x1,15

f=18,72-29,59 mm

1,26-2,1:1

2 x 10W

2x HDMI 2.0 in und 1x out


3D Sync in und out

Mini Jack Audio in und out

3200 Lux (bei 200 cm Screen)

1100:1 full on/off

2,915 min. Lumen



USB in
RS232C Din 9 pin in
HDBaseT
RJ45
12V Trigger



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes
530W / 280W in Eco Mode
486 x 185,5 x 432,5 mm (19,1"x7,3"x17") 38,84 L/dm³
38 / 34 dB in Eco Mode

Weight
Keystone
Illumination

15,00 kg / 33,07 lbs.
Vert.: +/-40°
Hori.: +/-30°
95%

Frequenz


H-sync: 15,37-91,1 kHz
V-sync: 24-85 Hz

Foot-Lamberts

297 fL / max. 862 cm screen width
1018 cd/m²

Features

- Real Full HD 3D
- Full HD 1080P compatible
- Direkt Power Off
- Lens shift Funktion
- User logo
- Eco Mode
- Kensington Slot
- High Dynamic Range (HDR)
- Warping
- 360° installable
- 24/7 continuous operation capable
- Password protection
- Remote control with backlight
- Lan network compatible.
- Crestron®-Software compatible.
- Portrait projection
- Gaming mode
- Colour Management System
- True AV Mute
- Cable remote control connection
- Telnet
- AMX



Optionaler Zubehör



Fernbedienung Original

BR-3074W / SP.72N03GC01

44,33 €



Deckenhalterung 220

Halterung45

83,60 €

Status

2024 Current model // Last update of the data: 2025-02-17
Created: 2024-05-13 10:15:56

Data



HCinema

<https://www.projector-database.com/pro/optomazk810t-en.html>

More Details

