
Panasonic PT DZ780/L






PANASONIC PT DZ780/L

Brief Introduction Beta 2.5	A brief introduction to the PT DZ780/L: The Panasonic DLP projector offers 7000 Ansi lumens, a contrast of 3000:1 and a WUXGA 1920 x 1200 resolution. The lamp life is up to 4000 hours, which is over 5.5 years with a daily viewing time of 2 hours. The built-in lens shift and keystone correction function provides freedom when setting up. 7000 Ansi lumens ensure that a picture width of 850 cm is also possible. The projector creates rooms with residual light with a smaller image width, we recommend a maximum of 567 cm. If the image width is not sufficient, the projector offers integrated edge blending software, which allows several projectors to project a large image together. Even 1080P video signals are no problem for the projector. The operating noise of just 30 decibels makes the projection quiet. The projector was launched in 2015 and is no longer sold by the manufacturer.
Display Type	1 x 0,67" DLP Chip WUXGA 16/9 Ti Digital Light Processing Chip
Ansi-Lumen (Projector)	7000
Ansi-Lumen (Screen)	3111 Lux (bei 200 cm Screen)
Contrast (Projector)	3000:1 full on/off
Contrast (Screen)	3000:1 full on/off
Black Level (Projector)	2,3333 min. Lumen
Black Level (Screen)	1,038 min. Lumen
Lens shift	Vert.: +50% -16% Hori.: +30% -10%
Resolution	WUXGA 1920 x 1200 2.304.000 Pixel
Video Modes	Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p
Application	Stationary | Permanent installation in the training room and meeting room as well as the conference room. Very large screen width and rooms with plenty of light and shaded daylight.
Light Source	2 x 310W Lamp Article Nr.: ET-LAD70
Light Life	4000 h.
Operating Costs	6,29% / 0,22 €
Focus	Powered
Zoom	Powered 1,41
Objective	optional
Throw Ratio	optional
Audio	Nein



Connections	HDMI in DVI-D D-Sub 15 pin in 5 x BNC RGBHV in Video BNC in S-Video in RS232C Din 9 pin in und out Mini jack Remote in und out RJ458 in SDI über BNC in
Ceiling Mounting	Yes, is possible.
Power	-
Size WxHxD	498 x 175 x 521 mm (19,6"x6,9"x20,5") 45,41 L/dm³
Operating Noise	30 / 28 dB in Eco Mode
Weight	17,60 kg / 38,8 lbs.
Keystone	Vert.: +/-40° Hori.: +/-15°
Illumination	90%
Frequenz	H-sync: 15-100 kHz V-sync: 24-120 Hz Range max.: 162 MHz
Foot-Lamberts	289 fL / max. 850 cm screen width 990 cd/m²
Features	■ Full HD 1080P compatible ■ Lens shift Funktion ■ Eco Mode ■ Kensington Slot ■ Warping ■ 24/7 continuous operation capable ■ Edge Blending ■ PJLink™ ■ Lan network compatible. ■ Liquid-cooled system ■ Daylight View 2 ■ Detail Clarity Processor ■ Dynamic RGB Booster ■ Art-Net DMX compatible
Screen Mirroring	-



Optional accessories

	Doppel Lampe Ruby	Ruby-LMP23290	363,02 €
	Einzel Lampe Ruby	Ruby-LMP23288	176,58 €
	Doppel Lampe inkl. Luftfilter Original	ET-LAD70W / ET-LAD70AW	578,04 €
	Einzel Lampe inkl. Luftfilter Original	ET-LAD70	444,76 €
	Doppel Kompatible Lampe	LMP-K23289	159,50 €
	Einzel Kompatible Lampe	LMP-K23286	82,87 €
	Objektiv Original	ET-DLE150	3.481,37 €
	Objektiv Gebraucht Original	ET-DLE250	1.898,73 €
	Objektiv Gebraucht Original	ET-DLE150Z	1.839,23 €
	Objektiv Gebraucht Original	ET-DLE450	1.482,23 €
	Objektiv Gebraucht Original	ET-DLE350	3.481,37 €

	Objektiv Gebraucht Original	ET-DLE030	4.363,33 €
	Objektiv Original	ET-DLE055	4.151,99 €
	Objektiv Gebraucht Original	ET-DLE085	2.811,38 €
	Fernbedienung Original	N2QAYA000060	30,40 €
	Filter Original	TMZX5229-1	22,91 €
	Deckenhalterung 220	Halterung45	83,60 €

Status

2015 Discontinued (EOL) // Last update of the data: 2025-03-03
Created: 2015-02-10 15:25:44

Data



More Details

HCinema
https://www.projector-database.com/pro/panasonicptdz780-en.html

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice.
HCinema is not responsible for any errors or omissions contained in product descriptions.