

Panasonic PT-MZ17KL

PANASONIC PT-MZ17KL



The Panasonic PT-MZ17KL large-format 3D laser LCD projector has 16500 Ansi lumens, a contrast of 3000000:1 and a WUXGA 1920 x 1200 resolution. The manufacturer specifies a laser service life of 20000 hours, which is over 13.7 years if enjoyed for four hours a day. The built-in lens shift and keystone correction function provides freedom when adjusting the projection. 1305 cm image width, the projector will be able to illuminate well. The projector can create rooms with residual light with a smaller image width, max. 870 cm is recommended here. It is also Full HD 1080P and 3D compatible. Even projection onto the ceiling is possible thanks to the 360° projection.

Brief Introduction

Beta 2.5

Display Type

3 x 1" LCD TFT Panel
WUXGA 16/9 Liquid Crystal Display

Ansi-Lumen

16500

7333 Lux (bei 200 cm Screen)

Contrast

3000000:1 full on/off

3000000:1 full on/off

Black Level

0,0055 min. Lumen

0,002 min. Lumen

Lens shift

Vert.: +/-60% Hori.: +/-20%

Resolution

WUXGA 1920 x 1200

2.304.000 Pixel

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 3D, EDTV 480p, 576p

3D Compatibility

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready)

Application

Event | Very large screen width and rooms with plenty of light and shaded daylight.

Light Source

Laser Diode

Light Life

Article Nr.: Alternative zu:ET-RFM100

20000 h.

Operating Costs

0,00 € Laser

Focus

Powered

Zoom

Powered

Objective

optional

Throw Ratio

optional

Audio

Nein

Connections


2 x HDMI in

1 x 3G/HD-SDI BNC in

D-sub 15 pin in und out

USB Typ A

1 x RJ45 DIGITAL LINK in



Ceiling Mounting	Yes, is possible.
Power	950W / 580W in Eco Mode
Size WxHxD	650 x 211 x 440 mm (25,6"x8,3"x17,3") 60,35 L/dm³
Operating Noise	38 / 32 dB in Eco Mode


Weight	22,50 kg / 48,5 lbs.
Keystone	Vert.: +/-40°
Illumination	Hori.: +/-40°
	85%

Frequenz -

Foot-Lamberts	681 fL / max. 1305 cm screen width
	2333 cd/m²

- Real Full HD 3D
 - Full HD 1080P compatible
 - Lens shift Funktion
 - Eco Mode
- Features
- Warping
 - 360° installable
 - PJLink™
 - Lan network compatible.
 - NFC via ET-NUK10 optional.

Screen Mirroring -



Optional accessories			
	Fernbedienung Original	N2QAYA000243	58,31 €
	Filter Original	ET-RFM100	124,06 €
	Deckenhalterung Original	ET-PKD120S	EOL €
	Deckenhalterung Original	ET-PKD120H	EOL €
	Objektiv Original	ET-EMW500	6.541,56 €
	Objektiv Original	ET-EMW400	6.542,61 €
	Objektiv Original	ET-EMW300	6.542,61 €
	Objektiv Original	ET-EMW200	5.761,05 €
	Objektiv Original	ET-EMU100	15.996,96 €
	Objektiv Original	ET-EMT850	3.005,45 €
	Objektiv Original	ET-EMT800	EOL €
	Objektiv Original	ET-EMT750	4.992,54 €
	Objektiv Original	ET-EMT700	EOL €
	Objektiv Original	ET-EMS650	2.529,55 €
	Objektiv Original	ET-EMS600	EOL €
	Luftfilter Kompatibel	Alternative zu:ET-RFM100	46,71 €
	Deckenhalterung 220	Halterung45	83,60 €

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
ET-EMW500	0.95-1.36:1	1.9-2.7 m	+/-60%	+/-20%	Powered
ET-EMW400	0.69-0.95:1	1.4-1.9 m	+/-60%	+/-20%	Powered
ET-EMW300	0.55-0.69:1	1.1-1.4 m	+/-50%	+/-20%	Powered
ET-EMW200	0.48-0.55:1	1-1.1 m	+/-40%	+/-19%	Powered
ET-EMU100	0.33-0.35:1	0.7-0.7 m			Powered
ET-EMT850	4.14-7.4:1	8.3-14.8 m	+/-60%	+/-20%	Powered

ET-EMT800 (alt)	4.14-7.4:1	8.3-14.8 m	+/-60%	+/-20%	Powered
ET-EMT750	2.1-4.14:1	4.2-8.3 m	+/-60%	+/-20%	Powered
ET-EMT700 (alt)	2.1-4.14:1	4.2-8.3 m	+/-60%	+/-20%	Powered
ET-EMS650	1.35-2.1:1	2.7-4.2 m	+/-60%	+/-20%	Powered
ET-EMS600 (alt)	1.35-2.1:1	2.7-4.2 m	+/-60%	+/-20%	Powered

Status

2022 Current model // Last update of the data: 2025-03-03
Created: 2023-02-23 13:19:02



More Details

HCinema

<https://www.projector-database.com/pro/panasonicptmz17kl-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.