

# Sharp XG 3900E/U

SHARP XG 3900E/U



## Brief Introduction

Beta 2.5

A brief introduction to the XG 3900E/U: The Sharp LCD projector offers 600 Ansi lumens, a contrast of 100:1 and a resolution. Including a lens shift function, which provides freedom during installation. 600 Ansi lumens ensure that a picture width of 213 cm is also possible. However, if room light is available, the picture should be a maximum of 142 cm wide. It is no longer offered by the manufacturer Sharp. Unfortunately, we can no longer offer replacement lamps for this model, neither originals nor replicas.

## Display Type

3 x 3,0" LCD TFT Panel  
VGA3 4/3 Liquid Crystal Display

## Ansi-Lumen

600

194 Lux (bei 203 cm Screen)

## Contrast

100:1 full on/off

100:1 full on/off

## Black Level

6,0000 min. Lumen

2 min. Lumen

## Lens shift

Vert.: +59,2% -5,7% motorisiert

## Resolution

VGA 3 x 309120 Pixel

## Video Modes

NTSC, PAL, SECAM

## Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Small screen width, rooms with very little ambient light below 100 lumens.

## Light Source

330W Metalldampf Lamp  
Articel Nr.: CLMPF0034DE15 BQC-  
XG3910E/2

## Light Life

2000 h.

## Operating Costs

-

## Focus

Powered

## Zoom

Powered 1,58

## Objective

F=3,5-4,4 f=101-160 mm

## Throw Ratio

1,66-2,62:1

## Audio

3W

## Connections

D-sub 15pin in und out  
S-Video in  
Cinch Video in  
Cinch Stereo in und out  
4 x BNC in  
12V Trigger out

## Ceiling Mounting

-

## Power

470W

## Size WxHxD

550 x 230 x 538 mm (21,7"x9,1"x21,2") 68,06 L/dm³

## Operating Noise

-

## Weight


16,00 kg / 35,27 lbs.

## Keystone

-

## Illumination

-



Frequenz	-
Foot-Lamberts	18 fL / max. 213 cm screen width 62 cd/m²
Features	■ Lens shift Funktion motorisiert ■ Remote control with backlight
Status Data	- Discontinued (EOL) // Last update of the data: 2023-08-04



More Details



**HCinema**  
<https://www.projector-database.com/pro/sharpxg3900e-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.