

Vivitek DH6861

VIVITEK DH6861



Brief Introduction

Beta 2.5

The stationary Vivitek DH6861 3D BrilliantColor DLP projector has 7000 Ansi lumens, a contrast of 3000:1 and a HDTV 1920 x 1080 resolution. Including a lens shift and keystone correction function, which provides freedom during installation. Thanks to the brightness of 7000 Ansi lumens, a picture width of 850 cm is possible. The projector can also handle slightly brighter rooms with a smaller picture width (we recommend max. 567 cm). Playing 1080P and 3D is also no problem for the projector. The projector was launched in 2015 and is no longer sold by the manufacturer.



1 x DLP Chip
HDTV 16/9 Ti Digital Light Processing Chip

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

3D Compatibility

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Projector
7000
3000:1 full on/off
2,3333 min. Lumen
Vert.: +50% -0% Hori.: +/-10%
HDTV 1920 x 1080
2.073.600 Pixel
WUXGA 1920 x 1200 compressed

Screen
3111 Lux (bei 200 cm Screen)
3000:1 full on/off
1,038 min. Lumen

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

2 x 350W Lamp
Article Nr.: 3797802500-SVK

2000 h. 2500 in Eco Mode

18% / 0,63 €

Powered


Powered

optional

optional

Nein

HDMI 1.4 in
DVI-D in
D-sub 15pin in und out
5 x BNC RGBHV in
USB in



Ceiling Mounting

Power

Size WxHxD

Operating Noise

RS232C Din 9 pin in

RJ45 mit HDBaseT in

12V Trigger out

Yes, is possible.

870 / 660W in Eco Mode

510 x 230 x 540 mm (20,1"x9,1"x21,3") 63,34 L/dm³

40 / 35 dB in Eco Mode

Weight

Keystone

Illumination

20,00 kg / 44,09 lbs.

Vert.: +/-30°

85%

Frequenz

H-sync: 15-108 kHz

V-sync: 48-120 Hz

Foot-Lamberts

289 fL / max. 850 cm screen width

990 cd/m²

- Features
- Real Full HD 3D

■ Full HD 1080P compatible

■ Lens shift Funktion


■ Eco Mode

■ BrilliantColor™

■ Lan network compatible.

Screen Mirroring

-



Optional accessories			
	Nackte Lampe	NLMP22703	186,58 €
	Lampe Ruby	Ruby-LMP22703	207,10 €
	Lampe Original	3797802500-SVK	630,13 €
	Kompatible Lampe	LMP-K22701	110,25 €
	Objektiv Original	3797745100-SVK / D88-WF18501	EOL €
	Objektiv Original	3797745400-SVK	EOL €
	Objektiv Original	3797745000-SVK	EOL €
	Objektiv Original	3797745100-SVK / D88-WF18501	EOL €
	Objektiv Original	3797744900-SVK	EOL €
	Objektiv Original	3797744200-SVK	EOL €
	Objektiv Original	3797745200-SVK	EOL €
	Fernbedienung Original	5041824900	69,84 €
	Deckenhalterung 220	Halterung45	83,60 €

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
3797745400-SVK	3.58-5.38:1	7.2-10.8 m	50%	+/-10%	Powered
3797745200-SVK	1.25-1.79:1	2.5-3.6 m	50%	+/-10%	
3797745000-SVK	2.22-3.67:1	4.4-7.3 m	50%	+/-10%	
3797744900-SVK	5.31-8.26:1	10.6-16.5 m	50%	+/-10%	Powered
3797744200-SVK	1.73-2.27:1	3.5-4.5 m	50%	+/-10%	

3797504200-SVK	0.75-0.93:1	1.5-1.9 m	50%	+/-10%	Powered
	Fix Optional Lenses				
3797745100-SVK	0.76:1	1.5 m	0.00% Fix		No Zoom

Status	2015 Discontinued (EOL) // Last update of the data: 2025-03-03
Data	Created: 2015-11-03 13:17:05

More Details



HCinema

<https://www.projector-database.com/pro/vivitekdh6861-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.